

## Restricted Organisms and Toxins

### Toxins

Abrin  
Aflatoxins  
Botulinum neurotoxins  
Botulinum toxins  
Cholera toxin  
Clostridium perfringens alpha, beta 1, beta 2, epsilon and iota toxins  
Conotoxins  
Diacetoxyscirpenol  
HT-2 toxin  
Microcystins (Cyanginosins)  
Modeccin  
Ricin  
Saxitoxin  
Shiga toxins (shiga-like toxins, verotoxins, and verocytotoxins)  
Staphylococcal enterotoxins A, B, C, D, E subtypes  
Staphylococcus aureus enterotoxins, hemolysin alpha toxin, and toxic shock syndrome toxin (formerly known as Staphylococcus enterotoxin F)  
T-2 toxin  
Tetrodotoxin  
Viscumin (Viscum album lectin 1)  
Volkensin

---

### Organisms

African horse sickness virus  
African swine fever virus  
Andean potato latent virus (Potato Andean latent tymovirus)  
Andes virus  
Avian influenza – High Pathogenicity  
Avian influenza virus  
Bacillus anthracis  
Bacillus anthracis Pasteur strain  
Bacillus cereus Biovar anthracis  
Bluetongue virus  
Botulinum neurotoxin producing species of Clostridium  
Brucella abortus  
Brucella melitensis  
Brucella suis  
Burkholderia mallei  
Burkholderia mallei (Pseudomonas mallei)  
Burkholderia pseudomallei  
Burkholderia pseudomallei (Pseudomonas pseudomallei)  
Chapare  
Chapare virus  
Chikungunya virus  
Chlamydia psittaci (Chlamydophila psittaci)  
Choclo virus  
Classical swine fever virus  
Classical swine fever virus (Hog cholera virus)  
Clavibacter michiganensis subspecies sepedonicus (syn. Corynebacterium michiganensis subspecies sepedonicum or Corynebacterium sepedonicum)  
Clostridium argentinense (formerly known as Clostridium botulinum Type G), botulinum neurotoxin producing strains  
Clostridium baratii, botulinum neurotoxin producing strains  
Clostridium botulinum  
Clostridium butyricum, botulinum neurotoxin producing strains  
Clostridium perfringens  
Coccidioides immitis  
Coccidioides posadasii

Cochliobolus miyabeanus (Helminthosporium oryzae)  
Colletotrichum kahawae (Colletotrichum coffeanum var. virulans)  
Coxiella burnetii  
Crimean-Congo haemorrhagic fever virus  
Crimean-Congo hemorrhagic fever virus  
Diacetoxyscirpenol  
Dobrava-Belgrade virus  
Eastern equine encephalitis virus  
Eastern Equine Encephalitis virus3  
Ebola virus  
Ebolavirus (includes all members of the Ebolavirus genus)  
Enterohaemorrhagic E. coli (EHEC)  
Foot-and-mouth disease virus  
Francisella tularensis  
Goat pox virus  
Goatpox virus  
Guanarito  
Guanarito virus  
Hantaan virus  
Hendra virus  
Hendra virus (Equine morbillivirus)  
Japanese encephalitis virus  
Junin  
Junin virus  
Kysanur Forest disease virus  
Laguna Negra virus  
Lassa fever virus  
Lassa virus  
Louping ill virus  
Lujo virus  
Lumpy skin disease virus  
Lymphocytic choriomeningitis virus  
Machupo  
Machupo virus  
Magnaporthe oryzae (Pyricularia oryzae)  
Marburg virus  
Marburgvirus (includes all members of the Marburgvirus genus)  
Microcyclus ulei (syn. Dothidella ulei)  
Monkeypox virus  
Murray Valley encephalitis virus  
Mycoplasma capricolum

Mycoplasma capricolum subspecies capripneumoniae ("strain F38")  
Mycoplasma mycoides  
Mycoplasma mycoides subspecies mycoides SC (small colony) (a.k.a. contagious bovine pleuropneumonia)  
Newcastle disease virus  
Nipah virus  
Omsk hemorrhagic fever virus  
Oropouche virus  
Peronosclerospora philippinensis (Peronosclerospora sacchari)  
Peste des petits ruminants virus  
Phoma glycinicola (formerly Pyrenochaeta glycines)  
Porcine Teschovirus  
Potato Andean latent tymovirus  
Potato spindle tuber viroid  
Powassan virus  
Pseudorabies virus  
Puccinia striiformis (syn. Puccinia glumarum)  
Puccinia graminis ssp. graminis var. graminis / Puccinia graminis ssp. graminis var. stakmanii (Puccinia graminis [syn. Puccinia graminis f. sp. tritici])  
Rabies virus and all other members of the Lyssavirus genus  
Ralstonia solanacearum  
Rathayibacter toxicus  
Reconstructed 1918 influenza virus - Technical Note: includes reconstructed replication competent forms of the 1918 pandemic influenza virus containing any portion of the coding regions of all eight gene segments.  
Reconstructed replication competent forms of the 1918 pandemic influenza virus containing any portion of the coding regions of all eight gene segments (Reconstructed 1918 Influenza virus)  
Rickettsia prowazekii  
Rickettsia rickettsia  
Rift Valley fever virus  
Rinderpest virus  
Rocio virus  
Sabia virus  
Salmonella enterica subspecies enterica serovar Typhi (Salmonella typhi)

SARS-associated coronavirus (SARS-CoV)  
Sclerophthora rayssiae  
Seoul virus  
Severe acute respiratory syndrome-related coronavirus (SARS-related coronavirus)  
Sheep pox virus  
Shiga toxin producing Escherichia coli (STEC) of serogroups O26, O45, O103, O104, O111, O121, O145, O157, and other shiga toxin producing serogroups Note: Shiga toxin producing Escherichia coli (STEC) includes, inter alia, enterohaemorrhagic E. coli (EHEC), verotoxin producing E. coli (VTEC) or verocytotoxin producing E. coli (VTEC).  
Shigella dysenteriae  
Sin Nombre virus  
South American Haemorrhagic Fever viruses  
St. Louis encephalitis virus  
Suid herpesvirus 1 (Pseudorabies virus; Aujeszky's disease)  
Swine vesicular disease virus  
Synchytrium endobioticum  
Thecaphora solani  
Tick-borne encephalitis virus (Far Eastern subtype, formerly known as Russian Spring-Summer encephalitis virus, and Siberian subtype  
Tilletia indica  
Variola major virus (Smallpox virus)  
Variola minor virus (Alastrim)  
Variola virus  
Venezuelan equine encephalitis virus  
Vesicular stomatitis virus  
Vibrio cholerae  
Western equine encephalitis virus; or  
Xanthomonas albilineans  
Xanthomonas axonopodis pv. citri (Xanthomonas campestris pv. citri A)  
(Xanthomonas campestris pv. citri)  
Xanthomonas oryzae  
Yellow fever virus.  
Yersinia pestis